



## Product Catalogue 産品目録



Wiring accessories









# Premio, unleash the creativity in you Premio, 釋放您的創造力

#### **Company Profile**

We are specialized in producing household appliance and engineering appliance accessories, including switches, sockets, plugs, extension sockets, adaptors, lampholders, intelligent plugs, energy saving system and hotel supporting electrical products and so on. Through research, development and production for more than 30 years, our products having been sold widely to markets in South-east Asia (Mainland China、HongKong、Macao、Singapore、Malaysia、Myanmar、Vietnam、Indonesia、Cyprus and etc.)、Middle East(Dubai、Saudi Arabia、Katar、Pakistan)、Europe (United Kingdom) and Africa (Kenya) etc. Our products have obtained certifications of national standards from different countries, such as British Standards、Malaysia Standards and Singapore Standards, also ASTA Diamond Certification. In addition, we have been keeping the honorable title of "Hong Kong Top Brand" from year 2004.

We are not stopping, and will keep on striving to become your "Top Choice" in all of our sales markets.

**Premio** is an elegant range of wiring accessories with an unrivaled 3.5mm ultra slim PC frontplate. Designed for quick and easy installation, you have a choice of 9 colours. It is made from high quality material, which enhances the safety of them.

With all the advantages and coupled with a 12 years product warranty, there's no doubt that **Premio** is the Designers' Top Choice.

#### 公司簡介

我們專業生產開關插座、插頭、排插座、萬能蘇轉換器、地拖、燈座、智能插頭、節能系統及酒店配套電工產品等家用電器和工程電器配件產品。經過近三十多年的研制、開發和生產,我們的產品銷往東南亞(中國大陸、香港、澳門、新加坡、馬來西亞、緬甸、越南、塞浦路斯等)、中東(迪拜、沙特阿拉伯、卡塔爾、巴基斯坦等)、歐洲(英國)及非洲(肯尼亞)等地,我們的產品獲得多國標準認證,包括:英國標準認證(British Standards)、馬來西亞標準認證(Malaysia Standards) 和新加坡標準認證(Singapore Standards),還有ASTA質量標準認證(ASTA Certification)。此外,我司自2004年起一直保持香港最佳品牌榮譽稱號(Hong Kong Top Brand)。

我們不會滿足于現有的成績, 我們將繼續努力, 力求在所有的市場領域内都成為您的"首選"!

本次為您推薦的**Premio**系列產品設計優雅、帶有獨特的3.5mm超薄PC面板,安裝簡便、快捷;有9種顏色可供選擇,優良的材質提升其安全性;綜合上述優點及12年產品質量保證,**Premio**無疑是"設計師首選"。



#### 已服務部分工程

東莞新都會璜瑪酒店(四星級) Dong Guan New Metro Huang Ma Hotel (4 star), China

舊金山Monarch 酒店 San Francisco Monarch Hotel, China

迪拜朱美拉海灘五星級酒店 Dubai Jumeirah Beach 5 Star Hotel

迪拜國際機場 Dubai International Airport

香港港鐵公司 HK MTR Corporation Ltd.









### Product features 産品特性








- Unique and stylish profile 獨特時尚的輪廓
- Ultra slim frontplate of only 3.5mm 僅3.5mm厚的超蓮面板
- LED indicator on top of rocker for good visibility
   開關制頂端的LED指示燈提供優良 的能見度



Plastic separator for additional protection 用絕緣塑膠做額外的保護




Terminal screws are held captive within the terminal housing 端子螺絲防脫落



90 degrees cable entry for quick and easy installation 90度的電綫入口使安裝 簡便、快捷

### Product number explanation 產品編號説明





#### Examples 實例

Product No. 產品編號	Front plate colour 面板顏色	Function part colour 功能組件顏色	Inser Colour 鑲嵌件顏色	whole product 整體顏色產品編號
P80	WHITE 白色	WHITE 白色	WHITE 白色	P80WH
P80	GOLD 金色	CARBON GREY 碳灰色	WHITE 白色	P80/ML/TT/WH

### 10AX & 16AX Switches 10AX & 16AX 開關

BS EN 60669-1 SS227 IEC 60669 GB16915.1

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIONS 顔色			NS
	P01	16AX 1位單控開關 16AX 1 Gang 1 Way Single Pole Switch				
	P02	16AX 1位雙控開關 16AX 1 Gang 2 Way Single Pole Switch	TT	MS	MP	WH
	P03	16AX 2位單控開關 16AX 2 Gang 1 Way Single Pole Switch				
	P04	16AX 2位雙控開關 16AX 2 Gang 2 Way Single Pole Switch	TT	MS	MP	WH
	P05	16AX 3位單控開關 16AX 3 Gang 1 Way Single Pole Switch				
	P06	16AX 3位雙控開關 16AX 3 Gang 2 Way Single Pole Switch	TT	MS	MP	WH
	P07	16A 1位電鐘開關 16A 1 Gang 1 Way Bell Switch	TT	MS	MP	WH
PRESE	P08	16A 1位扲手開關 16A 1 Gang 1 Way Press Switch	TT	MS	MP	WH
OFF O ON 1 FANISOLATOR	P09	16AX 3P風扇隔離開關 16AX 3 Pole Fan Isolator Switch	TT	MS	MP	WH
	P10	10AX 十字制交互式開關 10AX Intermediate Switch	TT	MS	MP	WH

### **16AX Switches** 16AX 開關

<b>APPEARANCE</b> 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIONS 顔色			NS
	P41	16AX 4位單控開關 16AX 4 Gang 1 Way Single Pole Switch				
	P42	16AX 4位雙控開關 16AX 4 Gang 2 Way Single Pole Switch	TT	MS	MP	WH
	P43	16AX 6位單控開關 16AX 6 Gang 1 Way Single Pole Switch				
	P44	16AX 6位雙控開關 16AX 6 Gang 2 Way Single Pole Switch	TT	MS	MP	WH
	P80	16AX 1位單控大板開關 16AX 1 Gang 1 Way Single Pole Large Dolly Switch				
	P81	16AX 1位雙控大板開關 16AX 1 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH
	P82	16AX 2位單控大板開關 16AX 2 Gang 1 Way Single Pole Large Dolly Switch				
	P83	16AX 2位雙控大板開關 16AX 2 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH
	P813	16AX 3位單控大板開關 16AX 3 Gang 1 Way Single Pole Large Dolly Switch				
	P823	16AX 3位雙控大板開關 16AX 3 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH
	P8401	16AX 4位單控大板開關 16AX 4 Gang 1 Way Single Pole Large Dolly Switch				
	P8402	16AX 4位雙控大板開關 16AX 4 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH
	P84	16AX 4位單控大板開關 16AX 4 Gang 1 Way Single Pole Large Dolly Switch				
	P89	16AX 4位雙控大板開關 16AX 4 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH
	P816	16AX 6位單控大板開關 16AX 6 Gang 1 Way Single Pole Large Dolly Switch				
	P826	16AX 6位雙控大板開關 16AX 6 Gang 2 Way Single Pole Large Dolly Switch	TT	MS	MP	WH

### **16AX Switches** 16AX 開關

BS EN 60669-1 SS227 IEC 60669 GB16915.1

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	COLOUR OPTIONS 顏色			
	P85	16A 1位大板電鐘開關 16A 1 Gang 1 Way Single Pole Large Dolly Bell Switch	TT	MS	MP	WH
79653	P86	16A 1位大板扲手開關 16A 1 Gang 1 Way Single Pole Large Dolly Press Switch	TT	MS	MP	WH

### 20AX DP Switches 20AX DP 開關

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIONS 顏色			NS
	P30	20AX DP 1位開關 20AX Double Pole Switch	TT	MS	MP	WH
	P32	20AX DP 1位開關(正面出綫) 20AX Double Pole Switch with Flex Outlet	TT	MS	MP	WH
WONTER HIGHER	P30WH	20AX DP 1位水煲開關 20AX Double Pole Switch Marked with " WATER HEATER"	TT	MS	MP	WH
SMITTER HEALTH	P32WH	20AX DP 1位水煲開關(正面出綫) 20AX Double Pole Switch with Flex Outlet Marked with "WATER HEATER"	TT	MS	MP	WH

### 16AX Switches (with LED) 16AX 開關(帶LED燈)

BS EN 60669-1 SS227 IEC 60669



### 16AX Switches (with LED) 16AX 開關(帶LED燈)

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	CC	COLOUR OPTIONS 顏色		
	P813L	16AX 3位單控帶LED燈大板開關 16AX 3 Gang 1 Way Single Pole Large Dolly Switch with LED				
	P823L	16AX 3位雙控帶LED燈大板開關 16AX 3 Gang 2 Way Single Pole Large Dolly Switch with LED	TT	MS	MP	WH
	P84L	16AX 4位單控帶LED燈大板開關 16AX 4 Gang 1 Way Single Pole Large Dolly Switch with LED				
	P89L	16AX 4位雙控帶LED燈大板開關 16AX 4 Gang 2 Way Single Pole Large Dolly Switch with LED	тт	MS	MP	WH
	P816L	16AX 6位單控帶LED燈大板開關 16AX 6 Gang 1 Way Single Pole Large Dolly Switch with LED				
	P826L	16AX 6位雙控帶LED燈大板開關 16AX 6 Gang 2 Way Single Pole Large Dolly Switch with LED	TT	MS	MP	WH

### 16AX Push Switches 16AX 扲手開關

BS EN 60669-1 SS227 IEC 60669

BS EN 60669-1	55221 IEC 606	09				
APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	CC	)LOUR 顔	OPTION 色	NS .
	P01PH	16AX 1位單控扲手開關 16AX 1 gang 1 Way push switch	TT	MS	MP	WH
	P03PH	16AX 2位單控扲手開關 16AX 2 gang 1 Way push switch	TT	MS	MP	WH
	P05PH	16AX 3位單控扲手開關 16AX 3 gang 1 Way push switch	TT	MS	MP	WH
	P80PH	16AX 1位單控大板拎手開關 16AX 1 gang 1 Way large dolly push switch	TT	MS	MP	WH
	P82PH	16AX 2位單控大板拎手開關 16AX 2 gang 1 Way large dolly push switch	TT	MS	MP	WH
	P813PH	16AX 3位單控大板拎手開關 16AX 3 gang 1 Way large dolly push switch	TT	MS	MP	WH
	P8401PH	16AX 4位單控大板扲手開關 16AX 4 gang 1 Way large dolly push switch	TT	MS	MP	WH

### 16AX Push Switches (with LED) 16AX 扲手開關(with LED 燈)

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIONS 顏色			NS
_	P80LPH	16AX 1位單控帶LED燈大板拎手開關 16AX 1 gang 1 Way large dolly push switch with LED	TT	MS	MP	WH
	P82LPH	16AX 2位單控帶LED燈大板扲手開關 16AX 2 gang 1 Way large dolly push switch with LED	TT	MS	MP	WH
	P813LPH	16AX 3位單控帶LED燈大板扲手開關 16AX 3 gang 1 Way large dolly push switch with LED	TT	MS	MP	WH

## **20AX DP Switches (with LED)** 20AX DP 開關(帶LED燈)

BS EN 60669-1 SS227 IEC 60669

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	COLOUR OPTIONS 顏色			NS
	P31	20AX DP 1位帶LED燈開關 20AX Double Pole Switch with LED	TT	MS	MP	WH
	P33	20AX DP 1位帶LED燈開關(正面出綫) 20AX Double Pole Switch with Flex Outlet and LED	TT	MS	MP	WH
WAYE SECTED	P31WH	20AX DP 1位帶LED燈水煲開關 20AX Double Pole Switch with LED Marked with "WATER HEATER"	TT	MS	MP	WH
WITH HEATEN	P33WH	20AX DP 1位帶LED燈水煲開關(正面出綫) 20AX Double Pole Switch with LED and Flex Outlet Marked with "WATER HEATER"	TT	MS	MP	WH
	P87	20AX DP 1位帶LED燈大板開關 20AX 1 Gang Double Pole Large Dolly Switch with LED	TT	MS	MP	WH
	P88	20AX DP 2位帶LED燈大板開關 20AX 2 Gang Double Pole Large Dolly Switch with LED	TT	MS	MP	WH

# High Current Switches 大電流開關



### 13A Socket Outlets 13A 插座

BS 1363 SS 145



13A DP 1 位帶LED燈帶制插座

13ASP2位帶LED燈帶制插座

13A DP 2 位帶LED燈帶制插座

Outlet with LED

Outlet with LED

13A 1 Gang Double Pole Switched Socket

13A 2 Gang Single Pole Switched Socket Outlet with LED

13A 2 Gang Double Pole Switched Socket

P14DP

P24SP

P24DP

### Round pin Socket Outlets 圓腳插座

BS 546 SS 472 IEC884-1

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	COLOUR OPTIONS 顏色				
	P12	2A 1位插座 2A 1 Gang Unswitched Socket Outlet	TT	MS	MP	WH	
	P56	5A 1位帶制插座 5A 1 Gang Switched Socket Outlet	TT	MS	MP	WH	
	P15	15A 1位帶制插座 15A 1 Gang Switched Socket Outlet	TT	MS	MP	WH	
	P58	16A 德國插座 16A Schuko Style Socket Outlet	TT	MS	MP	WH	

13

MS

MS

MP

MP

WH

WH

### 13A Universal Socket / 45A Cooker Control Unit 13A 通用插座 / 45A開關 + 13A DP插座

BS 5733 SS 145 SS 241 BS 4177

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIONS 顏色			NS
	P18	13A 1位多功能帶制插座 13A 1 Gang Universal Switched Socket Outlet	ТТ	MS	MP	WH
	P19	13A 1位帶LED燈帶制多功能插座 13A 1 Gang Universal Switched Socket Outlet with LED	ТТ	MS	MP	WH
	P25	13A 2位帶制多功能插座 13A 2 Gang Universal Switched Socket Outlet	TT	MS	MP	WH
OF IN THE STATE OF	P50	45A帶LED燈開關+13A DP帶LED燈帶制插座 45A Cooker Control Unit with Switched Socket Outlet with LED	TT	MS	MP	WH
OFF IN THE COOKER	P51	45A開關+13ADP帶制插座 45A Cooker Control Unit with Switched Socket Outlet	TT	MS	MP	WH

### 10A & 16A Socket Outlet 10A & 16A插座

GB 2099 BS 5733

APPEARANC 外形	E PRODUCT NO. 產品編號	DESCRIPTION 產品描述	COLOUR OPTIO 顏色			NS
	P17	10A 2位兩極扁圓帶護門插座 16A 2 Gang 2 Pin Euro Socket Outlet	TT	MS	MP	WH
	P26	10A 2位兩極扁圓帶護門帶獨立制插座 16A 2 Gang 2 Pin Switched Euro Socket Outlet	TT	MS	MP	WH
	P94	10A兩極扁圓+10A兩極帶接地插座 16A 2 Pin Euro Socket+2 Pin Socket with Earth Jack	TT	MS	MP	WH
	P95	16A 1位兩極帶接地帶LED燈帶制插座 16A 1 Gang Switched Socket Outlet with LED	TT	MS	MP	WH
	P96	16A 1位兩極扁圓帶制插座 16A 1 Gang 2 Pin Switched Euro Socket Outlet	TT	MS	MP	WH

5

## 13A Fused Connection Unit & Outlets 13A 菲士接綫蘇

BS 1363/4

BS 1363/4						
APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	CO	LOUR 顔	OPTIOI 色	NS
E COME	P60	13A 帶制菲士接綫蘇 13A Switched Fuse Connection Unit	TT	MS	MP	WH
Total Control of the	P61	13A 帶LED燈帶制菲士接綫蘇 13A Switched Fuse Connection Unit with LED	TT	MS	MP	WH
	P62	13A 帶制菲士接綫蘇(正面出綫) 13A Switched Fuse Connection Unit with Flex Outlet	ТТ	MS	MP	WH
	P63	13A 帶LED燈帶制菲士接綫蘇(正面出綫) 13A Switched Fuse Connection Unit with LED and Flex Outlet	ТТ	MS	MP	WH
RAME	P64	13A 菲士接綫蘇 13A Unswitched Fuse Connection Unit	ТТ	MS	MP	WH
₩ ⇔ NAME	P65	13A 帶LED燈菲士接綫蘇 13A Unswitched Fuse Connection Unit with LED	TT	MS	MP	WH
Anse	P66	13A 菲士接綫蘇(正面出綫) 13A Unswitched Fuse Connection Unit with Flex Outlet	ТТ	MS	MP	WH
	P67	13A 帶LED燈菲士接綫蘇(正面出綫) 13A Unswitched Fuse Connection Unit with LED and Flex Outlet	ТТ	MS	MP	WH

### 13A Socket Outlets With USB 13A 插座帶USB

BS EN 62368 SS145 IEC 62368 BS 1363

APPEARANCE F 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	CC	)LOUR 顔	OPTIOI 色	NS
	P11USB	13A一位插座带USB 13A1G SOCKET OUTLET WITH USB	TT	MS	MP	WH
	P13SPUSB	13A一位有制插座带USB 13A1G SWITCH SOCKET OUTLET WITH USB	TT	MS	MP	WH
	P22USB	13A二位插座带USB 13A 2G SOCKET OUTLET WITH USB	TT	MS	MP	WH
	P23SPUSB	13A二位有制插座带USB 13A 2G SWITCH SOCKET OUTLET WITH USB	TT	MS	MP	WH



### 13A & 16A Socket Outlets With USB A+C 13A & 16A 插座帶USB A+C

BS EN 60669 SS227 IEC 60669-

APPEARANCE 外形	PRODUCT NO 產品編號	DESCRIPTION 產品描述	CC	)LOUR 顏	OPTIOI 色	<b>NS</b>
	P18USB A+C	1G 16A带制多功能插座带USB A+C 16A 1G SWITCH SOCKET OUTLET WITH USB TypeA/TypeC	TT	MS	MP	WH
	P11USB A+C	13A一位插座带USBA+C 13A1G SOCKET OUTLET WITH USB Type A/Type C	TT	MS	MP	WH
	P13SPUSB A+C	13A 一位带制插座带USB A+C 13A 1G SWITCH SOCKET OUTLET WITH USB Type A/Type C	TT	MS	MP	WH
	P22USB A+C	13A 二位插座带USB A+C 13A 2G SOCKET OUTLET WITH USB Type A/Type C	TT	MS	MP	WH
	P23SPUSB A+C	13A 二位带制插座带USB A+C 13A 2G SWITCH SOCKET OUTLET WITH USB Type A/Type C	TT	MS	MP	WH

## Telephone & Data Outlets / CO-Axial Socket 通訊類插座

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	co	LOUR( 顏		NS
	P70	1位TV插座(不帶電容) 1 Gang Non-Isolated Co-Axial Socket	TT	MS	MP	WH
	P71	2位TV插座(不帶電容) 2 Gang Non-Isolated Co-Axial Socket	TT	MS	MP	WH
	P72	1位TV插座(帶電容) 1 Gang Isolated Co-Axial Socket	TT	MS	MP	WH
	P73	2位TV插座(帶電容) 2 Gang Isolated Co-Axial Socket	TT	MS	MP	WH
	P74	1位F-Type 衛星插座 1 Gang F-Type Satellite Socket	TT	MS	MP	WH
	P75	2位TV+F-Type 衛星插座 2 Gang Satellite & Co-Axial Socket	TT	MS	MP	WH
FM EB TV	P76	2位TV+FM插座 2 Gang Duplex TV & FM	TT	MS	MP	WH
SAY O FM	P77	3位SAT/TV/FM插座 3 Gang Triplex SAT/TV/FM	TT	MS	MP	WH

## Telephone & Data Outlets / CO-Axial Socket 通訊類插座

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	CC	)LOUR 顔		NS
SAT OF THE PRINCIPAL TO	P78	SAT/TV/FM+RETURN插座和一位電話插座 3 Gang Triplex TV/FM/SAT with BT Outlet & Co-Axial Return	TT	MS	MP	WH
	P79	1 位SCV插座 1 Gang SCV Socket	TT	MS	MP	WH
	P1BTM	1 位電話插座(主機) 1 Gang BT Screw Connection Telephone Socket, Master	TT	MS	MP	WH
	P2BTM	2 位電話插座(主機) 2 Gang BT Screw Connection Telephone Socket, Master	TT	MS	MP	WH
	P1BTS	1 位電話插座(副機) 1 Gang BT Screw Connection Telephone Socket, Slave	ТТ	MS	MP	WH
	P2BTS	2 位電話插座(副機) 2 Gang BT Screw Connection Telephone Socket, Slave	ТТ	MS	MP	WH
	P1BTMD	1 位電話插座(IDC)主機 1 Gang BT IDC Connection Telephone Socket, Master	TT	MS	MP	WH
	P2BTMD	2 位電話插座(IDC)主機 2 Gang BT IDC Connection Telephone Socket, Master	TT	MS	MP	WH

## Telephone & Data Outlets / CO-Axial Socket 通訊類插座

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	CC	LOUR 顔		NS
	P1BTSD	1 位電話插座(IDC)副機 1 Gang BT IDC Connection Telephone Socket, Slave	TT	MS	MP	WH
	P2BTSD	2 位電話插座(IDC)副機 2 Gang BT IDC Connection Telephone Socket, Slave	TT	MS	MP	WH
Viola .	P1RJ45	1 位RJ45插座 1 Gang RJ45 Socket Outlet	TT	MS	MP	WH
Wub Wub	P2RJ45	2 位RJ45插座 2 Gang RJ45 Socket Outlet	TT	MS	MP	WH
	P1RJ11	1 位RJ11插座 1 Gang RJ11 Socket Outlet	TT	MS	MP	WH
	P2RJ11	2 位RJ11插座 2 Gang RJ11 Socket Outlet	TT	MS	MP	WH
	P2RJ1145D	2位RJ45網絡插+RJ11電話插(卡口) 2 Gang RJ11+RJ45 IDC Connection Socket Outlet	TT	MS	MP	WH

### Dimmer Switch(PUSH ON/OFF) 調光開關

BS EN 60669-1

APPEARANCE 外形	PRODUCT NO 產品編號	. DESCRIPTION 產品描述	СО	LOUR 顔	OPTIO 色	NS
	P90	1位調光制(500W) 1 Gang 2 Way PUSH ON/OFF Dimmer Switch	TT	MS	MP	WH
	P91	2位調光制(500W) 2 Gang 2 Way PUSH ON/OFF Dimmer Switch	TT	MS	MP	WH
	P92	3位調光制(500W) 3 Gang 2 Way PUSH ON/OFF Dimmer Switch	TT	MS	MP	WH
	P93	4位調光制(500W) 4 Gang 2 Way PUSH ON/OFF Dimmer Switch	TT	MS	MP	WH
EAN FAN	P101	200VA 1位風扇調速開關 1 Gang Push ON / OFF FAN Control Switch (200VA)	TT	MS	MP	WH
FAN FAN	P102	200VA 2位風扇調速開關 2 Gang Push ON / OFF FAN Control Switch (200VA )	TT	MS	MP	WH

### Blank Plate 空白面板

BS 5733

APPEARANCE 外形	PRODUCT NO. 產品編號	DESCRIPTION 產品描述	CC	)LOUR 顔	OPTIOI 色	NS
	P98	2 位空白面板 2 Gang Blank Plate	TT	MS	MP	WH
	P99	1 位空白面板 1 Gang Blank Plate	TT	MS	MP	WH
	<b>P</b> 97	1位產品安裝框(50mm x 50mm) 1 Gang Mounting Plate (50mm x 50mm)	TT	MS	MP	WH
	P29	出綫框 Outlet Casing	TT	MS	MP	WH

3


### Hotels 酒店類


BS EN 61558 IP41 GB16915.1

APPEARANCE 外形	PRODUCT NO 產品編號	DESCRIPTION 產品描述	CC	DLOUR 顔		NS
	PH90	請勿打擾/請即清理/16A門鈴開關 "DO NOT DISTURB" / "PLEASE CLEAN UP" / 16A Bell Switch	TT	MS	MP	WH
	PH91	16A插匙取電開關 16A Energy Saving Switch with Neon(It May Delay 30 Seconds)	TT	MS	MP	WH
	PH92	門鐘發聲器 Bell Buzzer	ТТ	MS	MP	WH
	PH93	請勿打擾/清理房間/16A開關 "DO NOT DISTURB" / "PLEASE CLEAN UP" / 16A Switch	ТТ	MS	MP	WH
SHAMERIS SEE ORALY  ORALY  ORALY	P21	115V/230V 須刨插座 115/230V Dual Voltage Shaver Socket	TT	MS	MP	WH

### Switches Installation Guide

### Installation instruction







#### Remarks:

For surround mounting, please align clip locks on the inner plate and press firmly until the surround can not go in any further. Complete engagement of the clip lock is usually indicated by a clear "click" sound


#### Important note

Installation must be made by the qualified electricians.







#### 10AX Two Way Switch(fluorescent indication)









#### 20AX,45A Two Way Switch



#### 20AX,45A Two Way Switch(Orientating indication)




### Remarks: Terminals distribution for switches



### Telecom Installation Guide

#### Installation instruction




- External appearance size:87mmX87mm Centre distance of mounting hole:60.3mm
- External appearance size:87mmX147mm Centre distance of mounting hole: 120.6mm

For surround mounting, please align clip locks on the inner plate and press firmly until the surround can not go in any further. Complete engagement of the clip lock is usually indicated by a clear "click" sound

#### Important note

Installation must be made by the qualified electricians.


#### **RJ11 Outlet**



Color code for cable				
Item	Color			
1	White/Green			
2	Green			
3	White/Orange			
4	Blue			

Telephone signal

**RJ45 Outlet** 






Α	В
White/Green	White/Orange
Green	Orange
White/Orange	White/Green
Blue	Blue
White/Blue	White/Blue
Orange	Green
White/Brown	White/Brown
Brown	Brown
	White/Green Green White/Orange Blue White/Blue Orange White/Brown

#### **BT Outlet**





ВТ	BT cable connection			
Item	Color			
1	Green/White			
2	Blue/White			
3	Orange/White			
4	White/Green			
5	White/Blue			
6	White/Orange			


#### F-Type SAT outlet




### (Fan control)Dimmer switch








#### SAT/TV/FM/RETURN/BT Outlet



#### TV/FM Outlet **RETURN Outlet**




Open the metal cover

TV/FM signal

### **Hotels Installation Guide**

#### Installation instruction



External appearance size:87mmX87mm Centre distance of mounting hole:60.3mm


For surround mounting, please align clip locks on the inner plate and press firmly until the surround can not go in any further. Complete engagement of the clip lock is usually indicated by a clear "click" sound


#### Important note

Installation must be made by the qualified electricians.

Wiring diagram for hotel card switch

Wiring diagram for Please clean up/Do not disturb switch







授權經銷商 Authorised Distributor:

Http://www.fungyip.com